

CLAIM AMENDMENTS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A pigmented solventborne paint pack which can be made into a waterborne coating composition, comprising a water-in-oil emulsion comprising:
 - i) a solution in an organic solvent of polymer having functional groups and hydrophilic groups; and
 - ii) a waterborne pigment dispersion comprising pigment dispersed in water in the presence of a pigment dispersant, the aqueous pigment dispersion itself being in dispersion in said solution i).
2. (original) A paint pack as claimed in claim 1 in which the functional groups are hydroxyl groups.
3. (original) A paint pack as claimed in claim 2 in which the polymer has a hydroxyl value of 5 to 500.
4. (original) A paint pack as claimed in claim 3 in which the polymer has a hydroxyl value of 50 to 250.
5. (previously presented) A paint pack as claimed in claim 1 in which the hydrophilic groups are carboxylic acid groups or amine groups.
6. (original) A paint pack as claimed in claim 5 in which the hydrophilic groups are carboxylic acid groups and the polymer has an acid value of 20 to 250.
7. (original) A paint pack as claimed in claim 5 in which the hydrophilic groups are amine groups and the polymer has an amine value of 20 to 250.
8. (previously presented) A paint pack as claimed in claim 1 in which the polymer is a vinyl addition polymer, a polyester, a polyurethane, a mixed polyester-polyurethane or an epoxy polymer.

9. (original) A paint pack as claimed in claim 8 in which the polymer is a vinyl addition polymer, a polyester, a polyurethane or a mixed polyester-polyurethane.
10. (original) A paint pack as claimed in claim 9 in which the polymer is a vinyl addition polymer.
11. (original) A paint pack as claimed in claim 10 in which the polymer has a theoretical glass transition temperature (Fox T_g) of -30 to 80°C.
12. (original) A paint pack as claimed in claim 11 in which the polymer has a theoretical glass transition temperature (Fox T_g) of -10 to 50°C.
13. (previously presented) A paint pack as claimed in claim 1 in which the polymer has a number average molecular weight as measured by gel permeation chromatography of 700 to 10,000.
14. (original) A paint pack as claimed in claim 13 in which the polymer has a number average molecular weight of 1,000 to 4,000.
15. (previously presented) A paint pack as claimed in claim 1 in which the polymer has an acid value of up to 50.

Claims 16-24. (canceled)

25. (currently amended) A pigmented solventborne activated paint pack which can be made into a waterborne coating composition, comprising a water-in-oil emulsion comprising:
- i) a solution in an organic solvent of polymer having functional groups and hydrophilic groups;
 - ii) a waterborne pigment dispersion comprising pigment dispersed in water in the presence of a pigment dispersant, the aqueous pigment dispersion itself being in dispersion in said solution i); and
 - iii) a crosslinker which is dissolved in the organic solvent.

Appl. No.: 09/868, 805
Amdt. Dated June 16, 2004
Reply to Office Action of April 19, 2004
Docket No.: OC-527

26. (previously presented) A solventborne activated paint pack as claimed in claim 25 in which the crosslinker is a phenol formaldehyde, melamine formaldehyde, or polyisocyanate.

27. (previously presented) A solventborne activated paint pack as claimed in claim 26 in which the crosslinker is a polyisocyanate.

28. (previously presented) A waterborne coating composition which comprises a dispersion in an aqueous medium of the solventborne activated paint pack as claimed in claim 25.